


1 19. (Amended) The headset video recorder of claim 15, further comprising at least one power
2 source to provide power to the camera and the data recorder.

REMARKS

Claims 1-19 are pending in this application. By this Preliminary Amendment, claims 2-14 and 16-19 have been amended to correct typographical errors.

Applicant respectfully submits that the Application is in condition for allowance as presented. Should the Examiner require anything further to place the Application in better condition for allowance, the Examiner is invited to contact Applicant's undersigned representative at the number listed below.

Respectfully submitted,



Spencer K. Warnick
Reg. No.: 40,398

Date: 1/30/02

Hoffman, Warnick & D'Alessandro LLC
Three E-Comm Square
Albany, New York 12207
(518) 449-0044
(518) 449-0047 (fax)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Ramonowski et al.

Art Unit: 2612

Serial No.: 09/920,022

Docket No.: KREA-0004

Filing Date: August 1, 2001

Examiner: UNKNOWN

Title: HEADSET VIDEO RECORDER

Box NON-FEE AMENDMENT
Commissioner for Patents
Washington, D.C. 20231

SEPARATE SHEET

- 1 2. (Amended) A headset video recorder comprising:
- 2 a head assembly for securing to [the] a head of a user;
- 3 a data recorder coupled to the head assembly; and
- 4 a camera, communicative with the data recorder, coupled to the head assembly.
- 1 3. (Amended) The headset video recorder of claim [1] 2, further comprising a power source for
- 2 the camera and the data recorder.
- 1 4. (Amended) The headset video recorder of claim [1] 2, wherein the data recorder is coupled to
- 2 a housing of the head assembly.

1 5. (Amended) The headset video recorder of claim [1] 2, wherein the camera is coupled to a
2 housing of the head assembly.

1 6. (Amended) The headset video recorder of claim [1] 2, further comprising an infrared sensor
2 for receiving signals for controlling at least one of the camera and the data recorder.

1 7. (Amended) The headset video recorder of claim [1] 2, further comprising an audio receiving
2 element.

1 8. (Amended) The headset video recorder of claim [1] 2, wherein the data recorder is digital.

1 9. (Amended) A headset video recorder comprising:
2 a first assembly for securing to [the] a head of the user;
3 a first housing coupled to the first assembly;
4 a second housing coupled to the first assembly;
5 a second assembly coupled to at least one housing;
6 a data recorder coupled to one of the first assembly, second assembly and the at least one
7 housing; and
8 a camera coupled to one of the first assembly, second assembly and the at least one
9 housing, wherein the camera communicates with the data recorder.

1 10. (Amended) The headset video recorder of claim [8] 9, further comprising an infrared sensor
2 for receiving signals for controlling at least one of the camera and the data recorder.

1 11. (Amended) The headset video recorder of claim [8] 9, further comprising an audio receiving
2 element.

1 12. (Amended) The headset video recorder of claim [8] 9, further comprising at least one power
2 source to provide power to the camera and the data recorder.

1 13. (Amended) The headset video recorder of claim [8] 9, wherein the data recorder is digital.

1 14. (Amended) A headset video recorder comprising:
2 means for attaching to a head of a user;
3 [mean] means for recording data;
4 means for attaching the means for recording data to the means for attaching; and
5 means for receiving video data for recording by the means for recording.

1 16. (Amended) The headset video recorder of claim [14] 15, wherein the digital data recorder is
2 coupled to one of the first and second housing.

1 17. (Amended) The headset video recorder of claim [14] 15, further comprising an infrared
2 sensor for receiving signals for controlling at least one of the camera and the data recorder.

1 18. (Amended) The headset video recorder of claim [14] 15, further comprising an audio
2 receiving element.

1 19. (Amended) The headset video recorder of claim [14] 15, further comprising at least one
2 power source to provide power to the camera and the data recorder.